




HF630

Y




ABOUT US





301633) 是工信部




—



0R4 0.4kW
075 75kW



		kg																
		H1	H2	W1	W2	D1	D2	A	B	M								
W 2	I1	0.4kW	120				248		248									
		0.75kW	260	254	140	134	170	52.5	248	122								
		1.5kW																
		2.2kW																
		3.7kW																
	I2	5.5kW	254		140	134	170	50.5	248	122	56	k	26	É	D	%52	Đ	b
		7.5kW																
		11kW																
		15kW																
		18.5kW																
I4	22kW																	
	30kW																	
	37kW																	
	45kW																	
	55kW																	
2	D	75kW																
		90kW																
		110kW																
		132kW																
		160kW																
	I7	185kW																
		220kW																
		250kW																
		280kW																
		315kW																
I8	355kW																	
	400kW																	
	450kW																	
	I9																	



0x0

380V 480V

50/60Hz

-15% 10% K W

1K

<

fLN ±2%

.01H /

I x0.1%

B

≤20MLN/s

I

γ

%

ē

0

.01H / kHz

A òx0-

ě A

0É x0

1%

30000Hz

-

1kHz 10kHz

0.01Hz

x0.1%

.01H

ò

€

*

.01H

3, # Ñ

-

. ò

x0

x00 ē - 48 %

NOTE

GUIDE

Wuhan Guide Technology Co., Ltd.

027-87920068

027-87927299

www.gdetec.com

400-0077-570

6



2025.07

©
Copyright©Wuhan Guide Technology Co., Ltd.