

GUIDE


301633



Charge

HF620





ABOUT US

301633) 是工信部



—

HF620

XXX

HF	
620	

0R4	0.4kW
075	75kW
...	
450	: 450kW


4	400V

F


	[A]	[kW]	011 4 62 [A]	[kW]	[kG]
HF620-0R4-4	1.8	0.4	--	--	
HF620-0R7-4	3.3	0.75	1.8	0.4	
HF620-1R5-4	4.8	1.5	3.3	0.75	
HF620-2R2-4	6.2	2.2	4.8	1.5	
HF620-3R7-4	10.2	3.7	5.7	2.2	
HF620-5R5-4	15	5.5	10.2	3.7	
HF620-7R5-4	18	7.5	15	5.5	
HF620-011-4	20	9.0	18	7.5	



		(mm)								Φ	8.8	kg
		H1	H2	W1	W2	D1	D2	A	B		M	
I1	0.4kW 0.75kW 1.5kW 2.2kW	260	254	140	134	170	52.5	248	122	4- Φ6	4-M5	3
I2	3.7kW 5.5kW 7.5kW 11kW	260	254	140	134	170	52.5	248	122	4- Φ6	4-M5	3.5
I3	15kW 18.5kW	300	294	180	174	170	52.5	288	162	4- Φ6	4-M5	4.5
I4	22kW 30kW 37kW	370	364	275	269	215	75	355	255	4- Φ7	4-M6	10.5
I5	45kW 55kW 75kW	600	565	340	326	282	110	585	225	2- Φ9	4-M8	35
I6	90kW 110kW	760	710	400	386	327	100	742	275	2- Φ9	4-M8	52
I7	132kW 160kW 185kW	930	850	490	476	335	155	900	350	3- Φ13	6-M12	108.5
I8	220kW 250kW 280kW 315kW	1140	1060	500	486	355	155	1110	350	3- Φ13	6-M12	146
I9	355kW 400kW 450kW	1275	1195	700	686	370	155	1245	500	3- Φ15	6-M14	210




I1-I3



		50/60Hz							
		-15%	10%						
				fLN ±2%				±4%	
		≤2%fLN/s							
		0							
				1%					
		0	300Hz						
		1kHz	10kHz						
				0.01Hz				x0.1%	
				(VC)		(SVC)	V/F		
V/F	Ů								
		PG		PG					
		300Hz							
		0Hz/200%(VC	SVC)	0.8Hz/150%(V/F)					
		1:500(SVC)	1:1000(VC)						
		± 0.02%	(VC)	± 0.2%	(SVC)	± 0.5%	(V/F)		
		5	150%		1	200%		5	

Ű



NOTE

This image shows a full page of a worksheet designed for handwriting practice. It features 20 evenly spaced, horizontal dashed lines across the entire width of the page. The background is plain white, and there are no margins, text, or other markings present.

GUIDE

Wuhan Guide Technology Co., Ltd.

6

027-87920068

027-87927299

www.gdetec.com

%

f